



BUSH KINDER - Snake Awareness & First Aid Policy

PURPOSE

This policy aims to clearly define:

- The risk of snakes in the Bush Kinder space
- Procedures for preventing snake bite
- The appropriate medical response to snake bites
- A framework for the appropriate education and training of children, staff, parents/guardians and children on minimising the risk of snake bite.

POLICY STATEMENT

1. VALUES

Shine Bright Bush Kindergarten Programs are committed to:

- Providing a safe and healthy environment for children participating in the Bush Kinder program
- Being respectful of wildlife in and around the Bush Kinder space, including an awareness of the presence of snakes in the area in the warmer months
- Facilitating appropriate communication and education to staff, parents/guardians and children to minimise the risk of injury of a snake bite during Bush Kinder sessions.
-

2. SCOPE

This policy applies to children, parents and guardian, teachers, educators, staff, volunteers and students.

3. BACKGROUND AND LEGISLATION

Background

Shine Bright Bush Kinder Programs are conducted across various sites in Victoria, in which it is known that snakes inhabit. The species of snakes observed in the area over the past 20 years is the Brown Snake, Red Bellied Black Snake and Eastern Tiger Snake.

They are most prevalent in the warmer months (October to April) but could be encountered at other times.

Unprovoked, snakes rarely attack humans and are generally shy, timid animals that will avoid conflict if given the opportunity. It is recommended that particular care be taken in warm weather, near long grass or hollow logs, near water or near rocks in sunny positions.

Snakes are protected under the Wildlife Act 1975, and should not be harmed or killed. Bites can occur if people try to kill snakes.

Australian Venom Research Unit (AVRU) is an internationally recognised interdisciplinary research unit focused on the problem of venomous injury in Australia and the Asia-Pacific. Located within Melbourne University, the Australian Venom Research Unit aims to provide world-class expertise on the problem of Australia's venomous creatures, their toxins and the care of the envenomed patient.

Pressure Immobilisation Bandage (also known as Compression Bandage): Bandage used for the purpose of applying pressure to the site of a wound such as a snakebite and to the affected limb. Refer definition below of Pressure Immobilisation Bandaging.

Pressure Immobilisation Bandaging: The principle of pressure-immobilisation bandaging as a first aid measure is to prevent the spread of toxins through the body. This is done by applying enough pressure to compress the lymph vessels, and by preventing movement of the affected limb. Correct application of the technique can buy

valuable time to get the patient to medical assistance. [Refer to Attachment 1 for correct application of pressure immobilisation technique.

Victorian Poisons Information Centre (VPIC): Located at the Austin Hospital, the role of the VPIC is to provide the people of Victoria with a timely, safe information service in poisonings and suspected poisonings. For members of the public this includes telephone assessment, advice on first aid, with or without referral to a doctor or hospital. Information is given to health professionals about formulations of products and management of poisoned patients.

Legislation and Standards

Relevant legislation may include but is not limited to;

- Education & Care National Law and Regulations
- National Quality Standards Quality Area 2 -
- Occupational Health & Safety Act 2004;
- Occupational Health & Safety Regulations 2007;
- Occupational Health & Safety Compliance Codes, First Aid in the Workplace (2008);
- Wildlife Act 1975.

4. DEFINITIONS

Pressure Immobilisation Bandage – also known as Compression Bandage. Bandage used for applying pressure to the site of the wound, such as a snakebite, and to the affected limb. Refer to definition below of Pressure Immobilisation Bandaging.

Pressure Immobilisation Bandaging - the principle of pressure immobilisation bandaging as a first aid measure, is to prevent the spread of toxins through the body. This is done by applying enough pressure to compress the lymph vessels, and by preventing movement of the affected limb. Correct application of the technique can afford valuable time to get the patient to medical assistance. (Please refer to Attachment 2 for the correct application of the pressure immobilisation technique).

Victorian Poisons Information Centre (VPIC):- Located at the Austin Hospital, the role of the VPIC is to provide the people of Victoria with a timely and safe information service with respect to poisonings and suspected poisonings. For members of the public, this includes telephone assessment, advice on first aid, with or without admissions to hospital. Information is given to health professionals about formulations of products and management of poisoned patients.

Sources and related centre policies

Bites & Stings web resource, Victorian Poisons Information Centre, Austin Health www.austin.org.au 03 9496 5000

- Australian Venom Research Institute (University of Melbourne) www.avru.org
- Bushwalking Victoria Snakebite web resource <http://www.bushwalkingvictoria.org.au>

Service Policies

- Emergency and Evacuation Policy
- Delivery and Collection of Children Policy
- Incident, Injury, Trauma and Illness Policy
- Administration of First Aid Policy
- Hygiene Policy
- Excursions and Incursion Policy
- Occupational Health and Safety Policy
- Supervision of Children Policy
- Shine Bright Bush Kindergarten Policies

PROCEDURES

General

Approved Provider - Shine Bright EYM is responsible for:

- Ensuring staff are appropriately educated on procedures to prevent snakebite and to deliver First Aid in response to a Snake Bite (see below).

- Following all procedures as set out in the Emergency Management Plan (including notice of notifiable incidents, appropriate record keeping in the event of an incident, maintain first aid kit etc)

Staff are responsible for:

- Accessing and reviewing the site prior to session commencement, walking perimeters, through site and checking logs and holes.
- Staff will also recheck site prior to recommencement of play after rest, snack and group times.
- Having a First Aid Kit on site at Bush Kinder to administer first aid in response to snake bites or for any other purpose which includes pressure immobilisation bandages (also known as compression bandages) for medical treatment of snake bites.
- Encouraging parents, through this policy, to teach children snake bite prevention behaviours outside of Bush Kinder (for example, on family walks in the bush)
- Carrying mobile phone to call for help.
- Continually practicing and educating children on snake bite prevention behaviours while at Bush Kinder, without fostering an unnatural fear or paranoia of snakes. This includes practising and highlighting to children the following key points:

Snake Bite Prevention Behaviours (Source: Victorian Poisons Information Centre, Austin Health)

- Leave snakes alone
- Wear adequate clothing and stout shoes (not sandals/thongs) in 'snake country'
- Never put hands in hollow logs or thick grass without prior inspection
- When stepping over logs, carefully inspect the ground on the other side
- Ensure children are reminded on a regular basis that if they encounter a snake, to move away quietly and report the sighting immediately to a teacher.
- In the event that a snake is encountered at Bush Kinder, calmly moving children away from the snake. [Staff must not attempt to touch or harm the snake].
- Administering first aid in the event of a snake bite

First aid for snakebite (Source: Victorian Poisons Information Centre, Austin Health, and Australian Venom Research Institute, Melbourne University))

- Stay calm and call for help. Have someone phone an ambulance. If unable to phone, send someone for help.
- Reassure the patient and encourage them to remain calm and still. Do not move the patient.
- Do not attempt to catch or kill the snake
- DO NOT WASH the bite. Traces of venom that are left on the skin can be used to identify the snake, and therefore the type of antivenom that should be used if required.
- Venom is injected deeply so there is no benefit in cutting or sucking the bite. A tourniquet is not an effective way to restrict venom movement.
- The most effective first aid for snakebite is the [pressure-immobilisation technique](#). (Refer to Attachment 1 for instructions on the application of this technique). The principle is to minimise the movement of the venom around the body until the victim is in a hospital by applying a firm bandage (or suitable alternative) to the bitten area and limb, and to immobilise the victim. When applied properly, this method can trap the venom in the bitten area for many hours. The victim might not suffer any effects of the venom until the compression is released, which is done in hospital where antivenom can be administered if required.

Staff is to follow procedures as set out in Incident & Medical Emergency Management Policy, including contacting parent/guardian, calling ambulance etc

Parents/guardians are responsible for:

- Teaching children on an ongoing basis safe snakebite prevention behaviours outside Bush Kinder, for example, on family walks in the bush
- Reading and being familiar with the policy
- Bringing relevant issues to the attention of both staff and committee

EVALUATION

In order to assess whether the policy has achieved the values and purposes staff will:

- Seek feedback regarding this policy and its implementation with staff, parents/guardians of children participating in the Bush Kinder program.
- Regularly review the policy and centre practices to ensure they are compliant with any new legislation, research or best practice procedures.

ATTACHMENTS

Attachment 1: [Pressure Immobilisation Technique](#)

(Detailed instructions with diagram on application of this technique in the event of a snake bite). Source: Australian Venom Research Institute (Melbourne University)

Authorisation

Shine Bright EYM approved this policy January 2022

Review date: 2025